

PRF-1

Axial Piston Pumps (High Pressure)

Axial Hydraulic Piston Pumps, Single Flow, Single Output.
High Pressure, High Rotational Speed, High Efficiency, Slim Design.
Cast Iron Pump Body, Re-Designed in .


Designation;

21cc, 28cc, 35cc, 42cc, 50cc,
55cc, 60cc, 80cc, 100cc, 110cc

450 BAR HIGH PRESSURE PISTON PUMP


PREMIUM HYDRAULIC SOLUTION FOR HEAVY-DUTY APPLICATIONS






Tipo pompa Pump type	Codice Code	Cilindrata Displacement cm ³ /rev	Pressione Pressure		Velocità max Max speed rpm	Peso Weight kg
			Massima Max bar	Picco Peak bar		
21 cc	Bi-Directional	20,25	400	450	1800	14,1
28 cc	Bi-Directional	27				
35 cc	Bi-Directional	33,75				
42 cc	Bi-Directional	40,5				
48 cc	Bi-Directional	47,25				
50 cc	Bi-Directional	51,97	400	450	1500	13,9
55 cc	Bi-Directional	54				
60 cc	Bi-Directional	59,3				

PRF-1 Series Axial Hydraulic
High Pressure Axial Hydraulic Piston Pumps






Tipo pompa Pump type	Codice Code	Cilindrata Displacement cm ³ /rev	Pressione Pressure		Velocità max Max speed rpm	Peso Weight kg
			Massima Max bar	Picco Peak bar		
70 cc	Bi-Directional	73	400	450	1500	20,9
80 cc	Bi-Directional	82,2				20,3
90 cc	Bi-Directional	91,4				20,3
100 cc	Bi-Directional	100,4				20

PRF-1 Series Axial Hydraulic
High Pressure Axial Hydraulic Piston Pumps



Pump type	Code	Displacement cm ³ /rev	Pressure		Max speed rpm	Weight kg
			Massima Max bar	Picco Peak bar		
UNI 21 cc	Bi - Directional	20,25	400	450	1800	13,5
UNI 28 cc	Bi - Directional	27				
UNI 35 cc	Bi - Directional	33,75				
UNI 42 cc	Bi - Directional	40,5				
UNI 48 cc	Bi - Directional	47,25				
UNI 50 cc	Bi - Directional	51,97	400	450	1500	13,3
UNI 55 cc	Bi - Directional	54				
UNI 60 cc	Bi - Directional	59,3				




Weight




13,5

13,3

PRF-1 Series Axial Hydraulic
High Pressure Axial Hydraulic Piston Pumps



Pump type	Code	Displacement cm ³ /rev	Pressure		Max speed rpm	Weight kg
			Max bar	Peak bar		
35+35 cc	Dual Flow Version	35+35	350	400	1500	21,4
50+30 cc	Dual Flow Version	50+30				21,2
50+50 cc	Dual Flow Version	50+50	350	400	1500	21,2
40+20 cc	Dual Flow Version	40+20	350	400	1500	21,2
50+10 cc	Dual Flow Version	50+10	350	400	1500	21,2
30+30 cc	Dual Flow Version	30+30	350	400	1500	21,2
35+25 cc	Dual Flow Version	35+25	350	400	1500	21,2



Hydraulic Piston Pumps

Axial Design Hydraulic Piston Pumps, High Pressure Piston Pumps

Dual Flow Piston Pumps, Tandem Output Piston Pumps, UNI Flange Piston Pumps



Address;

PERFECT OTOMOTİV MAKİNE DIŐ TİC SAN LTD ŐTİ

Fevzi akmak Mah. Teksan San Sit.

10758 Sk. No; 27/C

Karatay / Konya / Turkiye

Tel; 0.537 979 33 47

Tel; 0.543 373 32 86